



ASPEN

Porcelain
Rectified

Gres porcellanato
Rettificato
Feinsteinzeug
Kalibriert

Grès cérame
Rectifié
Керамогранит
Ректифицированная



Surfaces




Nat
Natural

Colours




Cherry



Natural



Burnt



Sunset

Sizes

15x90 6"x36"



ASPEN

Porcelain
Rectified

Gres porcellanato
Rettificato

Feinsteinzeug
Kalibriert

Grès cérame
Rectifié

Керамогранит
Ректифицированная



RET V4 5 R9 ASTM 10mm EN 14411 APPENDICE G Bla GL

Colours Colori • Farben • Couleurs • Цветов

Cherry



Natural



Burnt



Sunset



Surfaces Superfici • Oberflächen • Surfaces • Поверхности


Nat Natural



Aspen Cherry 1590

Sizes Formati • Formate • Format • Форматы

10mm



15x90 6"x36"


Surface	NAT
Cherry	Aspen Cherry CSAASCHE00
Natural	Aspen Natural CSAASNAT00
Burnt	Aspen Burnt CSAASBUR00
Sunset	Aspen Sunset CSAASSUN00
Pz / Box	9
Mq / Box	1,22
Kg / Box	27,5
Kg / Mq	22,5
Boxes / Pallet	32
Mq / Pallet	39,04
Kg / Pallet	880

Special Trims • Pezzi Speciali • Formteile • Pièces Spéciales • Специальные Изделия

10mm



Battiscopa 90
8,5x90 3 1/8"x36"



Gradone 90*
33x90 13"x36"



Ang. Gradone 90 Sx*
33x90 13"x36"



Ang. Gradone 90 Dx*
33x90 13"x36"

	NAT	NAT	NAT	NAT
Battiscopa 90 Aspen Cherry	CSABASCH91	Gradone 90 Aspen Cherry	CSAGASCH90	Ang. Grad. 90 Sx Aspen Cherry
				CSAGASAC90
Battiscopa 90 Natural	CSABASNA91	Gradone 90 Aspen Natural	CSAGASNA90	Ang. Grad. 90 Sx Aspen Natural
				CSAGASAN90
Battiscopa 90 Aspen Burnt	CSABASBU91	Gradone 90 Burnt Burnt	CSAGASBU90	Ang. Grad. 90 Sx Aspen Burnt
				CSAGASAB90
Battiscopa 90 Aspen Sunset	CSABASSU91	Gradone 90 Aspen Sunset	CSAGASSU90	Ang. Grad. 90 Sx Aspen Sunset
				CSAGASAS90
	6	2	1	1

* GRADONE See page 611 Vedi pagina 611 • Siehe Seite 611 • Voir la page 611 • См. страницу 611

Certifications

Certificazioni • Zertifizierungen • Certifications • Сертификаты



Static coefficient of friction

ASTM test
ASTM C1028 - 06

Dry $\mu > 0,6$ Wet $\mu > 0,6$
Natural Surface - Antislip

Suggestion for laying

Consigli per la posa • Ratschläge für die Verlegung • Conseil pour la pose • Советы по укладке

Considering the characteristics of this series we suggest:

- 2-3 mm joint
- For the sizes 15x90 lined up laying or 4/5 staggered laying is suggested

Viste le caratteristiche della serie si consiglia:

- Fuga 2-3 mm
- Per i formati 15x90 si consigliano pose affiancate o a correre sfalsate di 4/5

Im Hinblick auf die Eigenschaften der Serie es empfiehlt sich:

- 2-3 mm Fuge
- Für Formate 15x90 neben verlegt oder 4/5 versetzt

Vu les caractéristiques de la série, nous conseillons :

- Joint 2-3 mm
- Pour les formats 15x90, il est conseillé une pose alignée ou une pose décalée au 4/5

Grouting colour

Colore fuga - Farbe der Fuge - Couleur de joint - Цвет шов

Natural	Mapei 132	Litokol C 290
Sunset	Mapei 114 - 132	Litokol C 290 - C 220
Burnt	Mapei 120 - 144	Litokol C 420
Cherry	Mapei 114	Litokol C 300

В силу характеристик данной серии рекомендуется:

- Шов 2-3 мм
- Для форматов 15x90 рекомендуется укладка рядами или со смещением на 4/5

